<u> </u>			5	561	DI	T Ct
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	12439	reader with ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:24
L6	5027	reader near6 ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:24
L7	2108	reader near3 ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:24
L8	193	reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (field adj device device fieldbus) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:25
L9	1	reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (plant facility building) and (sensor actuator field near device) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:26
L10	2	reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:27
L11	3	reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:28
L12	11	reader near6 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:34
L13	429	reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:34

L14	352	reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:45
L15	60	"340"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:08
L16	21	"700"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:56
L17	15	"709"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:55
L18	7	"710"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:48
L19	5	"713"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:47
L20	0	"715"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:46
L21	. 13	"345"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:54

			•			
L22	504	"340"/\$ and (personality module) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:08
L23	231	"700"/\$ and (personality module) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L24	826	"700"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L25	245	"709"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L26	142	"710"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L27	119	"713"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L28	23	"715"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L29	399	"345"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10

						-
L30	1960	"340"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:10
L31	571	"700"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L32	164	"709"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L33	99	"710"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L34	90	"713"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L35	14	"715"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L36	258	"345"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11
L37	1267	"340"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:11

			-	r		
L38	68	"700"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L39	17	"709"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L40	8	"710"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L41	7	"713"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L42	1	"715"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L43	11	"345"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:12
L44	122	"340"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L45	2	"340"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:32

L46	0	"345"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L47	0	"715"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L48	0	"713"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L49	0	"710"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L50	0	"709"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:30
L51	1	"700"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:32
L52	8	(input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:33

L53	33	(input output i/o) near6 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:35
-----	----	--	---	----	----	------------------

Page 7